

Tender Text



Note! Product picture may differ from actual product

Product No.: [99044363](#)

RSI 3x380V IP66 11kW 23A

Renewable Solar Inverter RSI is a sourced off-grid solar inverter to enable us to expand the family of solar submersible pumping systems. RSI is configured specifically to be compatible with 3 phase 400V SP submersible pumps. With the built-in MPPT and various protection software, it delivers an efficient and reliable renewable system solution.

Installation:

Range of ambient temperature: -10 .. 60 °C

Relative humidity: 100 %

Electrical data:

Rated power - P2: 11 kW

Phase: 3

Enclosure class (IEC 34-5): IP66

Vol. output AC: 380 V

Vol. input DC: 800 V

Curr. Output AC: 23 A

Udc: 400 V

Others:

Net weight: 14.9 kg

Gross weight: 16.3 kg

Position	Qty.	Description
	1	<p data-bbox="320 338 635 367">RSI 3x380V IP66 11kW 23A</p> <div data-bbox="391 383 627 763" style="text-align: center;">  </div> <p data-bbox="710 748 1193 772" style="text-align: center;">Note! Product picture may differ from actual product</p> <p data-bbox="320 781 584 806">Product No.: 99044363</p> <p data-bbox="320 840 1445 943">Renewable Solar Inverter RSI is a sourced off-grid solar inverter to enable us to expand the family of solar submersible pumping systems. RSI is configured specifically to be compatible with 3 phase 400V SP submersible pumps. With the built-in MPPT and various protection software, it delivers an efficient and reliable renewable system solution.</p> <p data-bbox="320 981 459 1008">Installation:</p> <p data-bbox="320 1010 810 1039">Range of ambient temperature: -10 .. 60 °C</p> <p data-bbox="320 1041 756 1070">Relative humidity: 100 %</p> <p data-bbox="320 1102 496 1128">Electrical data:</p> <p data-bbox="320 1131 756 1160">Rated power - P2: 11 kW</p> <p data-bbox="320 1162 699 1191">Phase: 3</p> <p data-bbox="320 1193 735 1223">Enclosure class (IEC 34-5): IP66</p> <p data-bbox="320 1225 751 1254">Vol. output AC: 380 V</p> <p data-bbox="320 1256 751 1285">Vol. input DC: 800 V</p> <p data-bbox="320 1288 735 1317">Curr. Output AC: 23 A</p> <p data-bbox="320 1319 751 1348">Udc: 400 V</p> <p data-bbox="320 1368 408 1395">Others:</p> <p data-bbox="320 1397 767 1426">Net weight: 14.9 kg</p> <p data-bbox="320 1429 767 1458">Gross weight: 16.3 kg</p>



Company name:

Created by:



Phone:

Date:

20/03/2018

Description	Value
General information:	
Product name:	RSI 3x380V IP66 11kW 23A
Product No:	99044363
EAN number:	5712605678687
Installation:	
Range of ambient temperature:	-10 .. 60 °C
Relative humidity:	100 %
Electrical data:	
Rated power - P2:	11 kW
Phase:	3
Enclosure class (IEC 34-5):	IP66
Vol. output AC:	380 V
Vol. input DC:	800 V
Curr. Output AC:	23 A
Udc:	400 V
Others:	
Net weight:	14.9 kg
Gross weight:	16.3 kg

99044363 RSI 3x380V IP66 11kW 23A 50 Hz



Note! All units are in [mm] unless others are stated.
Disclaimer: This simplified dimensional drawing does not show all details.